

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
Cary James MILLER, et al.)	Examiner: Melanie J. Yu
)	Art Unit: 1641
Application No.: 10/658,529)	
)	Confirmation No.: 5356
Filed: September 10, 2003)	
)	
For: IMMUNOASSAY DEVICE WITH)	March 20, 2009
IMMUNO-REFERENCE)	
ELECTRODE)	

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

SUPPLEMENTAL AMENDMENT SUBMITTING REPLACEMENT DRAWINGS

Sir:

Further to the Amendment filed on February 13, 2009, submitted herewith are eleven sheets of replacement drawings comprising FIGS. 1-21. Please include these replacement sheets as part of the specification. These replacement drawings replace the drawings presently on file in the above-identified application. No new matter has been added.

Applicants' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 625-3858. All correspondence should continue to be directed to the below-listed address.

Respectfully submitted,

/Justin L. Krieger/
Attorney for Applicants
Justin L. Krieger
Registration No. 47,719

Please address all correspondence to:
Patent Administrator
KATTEN MUCHIN ROSENMAN LLP
2900 K Street, NW, Suite 200
Washington, DC, 20007-5118
Customer Number: 27160